


JBC

www.jbctools.com

Why JBC? **+** solutions
efficiency
productivity

Exclusive Heating System


— JBC
— Other Top brand



This means you save time and increase production.

Comparative process of 3 solder joints.

The tip temperature in JBC only drops 35 °C.



By using lower temperatures and Sleep&Hibernation features, tip life increases exponentially as shown in the graph.

The **best choice** for the electronics professional



Follow us



10014646/0714

JBC

www.jbctools.com

Probably **the best**
soldering station
in the world



Used worldwide by:

Siemens
Apple
Rockwell Collins
Flextronics

Sanmina
Celestica
Boeing
Continental

Fujitsu
Visteon
Google
Abengoa

FoxConn
Motorola
Ericsson
Commscope

Compact line



Modular line

Control Units

DI
1 Tool



DDE
2 Tools · *Excellence range*



DME
4 Tools · *Excellence range*



MS / MV
Desoldering Modules



MSE / MVE
Desoldering Modules · *Excellence range*



Stands

AD-SD



AP-SD



PA-SD



HT-SD



DS-SD



DR-SD



Tools

T210
Precision Handpiece



T245
Handpiece



T470
Handpiece



AP130
Solder Feed Iron



PA120
Micro Tweezers



HT420
Thermal Tweezers



DS360
Micro Desoldering Iron



DR560
Desoldering Iron



Cartridge range

C210

C245

C130

C120

C420

C360

C560

Cleaning systems



CL9885
Tip Cleaner



CLMB
Automatic Senior Tip Cleaner

Premium line

DIR / DIT
Soldering stations



AL
Auto-Feed Soldering station



DSS / DIS / DIV
Desoldering stations



PHSK
IR Preheater system



TE
Precision Hot Air station



JT
Hot Air station



HDE
Heavy Duty Soldering station
Excellence range



NASE
Nano Rework station
Excellence range



NANE
Nano Soldering station
Excellence range



DDSE / DDVE
Rework stations
Excellence range



RMSE / RMVE
Complete Rework stations
Excellence range



C000-000 High Thermal Efficiency Cartridges: These are characterised by their optimised tip geometries which achieve improved thermal efficiencies of up to 40%.
C000-000* These cartridges are 20mm longer than normal cartridges for easier access to difficult-to-reach joints

C560